



# Comfortably CA

## 2024 Qualifying Product List for CONTRACTORS

### AHRI Field Eligibility Requirements:

Model Status	Active	Production Stopped	Discontinued
--------------	--------	--------------------	--------------

### Commercial Measures

#### Commercial Air-Cooled Air Conditioners Under 65k Btu/h

AHRI List (web link): [Air Conditioners and Air Conditioner Coils](#)

Packaged Systems:	
	SEER
<b>Cooling Capacity (Btu/h) ≥ 18,000 &amp; &lt; 33,000</b>	
Tier 1	≥15 & <16
Tier 2	≥16 & <17
Tier 3	≥17 & <18
Tier 4	≥18
<b>Cooling Capacity (Btu/h) ≥ 33,000 &amp; &lt; 55,000</b>	
Tier 1	≥15 & <16
Tier 2	≥16 & <17
Tier 3	≥17 & <18
Tier 4	≥18
<b>Cooling Capacity (Btu/h) ≥ 55,000 &amp; &lt; 65,000</b>	
Tier 1	≥15 & <16
Tier 2	≥16 & <17
Tier 3	≥17 & <18
Tier 4	≥18

Building Type
All Commercial Building Types

Measure Restrictions
Not eligible for New Construction
Equipment ≥ 33,000 Btu/hr requires an economizer
Equipment must be 3-phase

Additional Eligibility Requirements based on AHRI Certified Product List:	
AHRI Type	SP-A (Single-Package Air-Conditioner, Air-Cooled)
	SPY-A (Year-Round Single-Package Air-Conditioner, Air-Cooled)

## Commercial Air-Cooled Air Conditioners Over 65k Btu/h

AHRI List (web link): [Unitary Large Equipment](#)

\*Equipment with cooling capacities over 760,000 Btu/h will need to be submitted to program team for engineering review prior to distributor sales.

Building Type
All Commercial Building Types

Packaged Systems:	EER	AND	IEER
<b>Cooling Capacity (Btu/h) ≥ 65,000 &amp; &lt; 135,000</b>			
Tier 1	≥11.5	AND	≥14.6
Tier 2	≥12	AND	≥14.6
Tier 3	≥12.5	AND	≥14.6
Tier 4	≥13.0	AND	≥15.0
<b>Cooling Capacity (Btu/h) ≥ 135,000 &amp; &lt; 240,000</b>			
Tier 1	≥11.5	AND	≥14.0
Tier 2	≥12	AND	≥14.0
Tier 3	≥12.5	AND	≥14.0
<b>Cooling Capacity (Btu/h) ≥ 240,000 &amp; &lt; 760,000</b>			
Tier 1	≥10.8	AND	≥13.0
Tier 2	≥11.5	AND	≥13.0
Tier 3	≥12.5	AND	≥15.5
<b>Cooling Capacity (Btu/h) ≥ 760,000</b>			
Tier 1	≥10.2	AND	≥12.3
Tier 2	≥11.0	AND	≥12.3
Tier 3	≥12.0	AND	≥13.8

Measure Restrictions
Not eligible for New Construction
BOTH minimum IEER and EER need to be met to qualify

### Additional Eligibility Requirements based on AHRI Certified Product List:

AHRI Type	Product List
	SP-A (Single-Package Air-Conditioner, Air-Cooled)
	SPY-A (Year-Round Single-Package Air-Conditioner, Air-Cooled)

## Commercial Air-Cooled Heat Pumps Under 65k Btu/h

AHRI List (web link): [Heat Pumps and Heat Pump Coils](#)

Building Type
All Commercial Building Types

Packaged Systems:	SEER
<b>Cooling Capacity (Btu/h) ≥ 18,000 &amp; &lt; 33,000</b>	
Tier 1	≥15 & < 16
Tier 2	≥16 & < 17
Tier 3	≥17 & < 18
Tier 4	≥18
<b>Cooling Capacity (Btu/h) ≥ 33,000 &amp; &lt; 55,000</b>	
Tier 1	≥15 & < 16
Tier 2	≥16 & < 17
Tier 3	≥17 & < 18
Tier 4	≥18
<b>Cooling Capacity (Btu/h) ≥ 55,000 &amp; &lt; 65,000</b>	
Tier 1	≥15 & < 16
Tier 2	≥16 & < 17
Tier 3	≥17 & < 18
Tier 4	≥18

Measure Restrictions
Equipment ≥ 33,000 Btu/hr requires an economizer
Equipment must be 3-phase

### Additional Eligibility Requirements based on AHRI Certified Product List:

AHRI Type	Product List
	HSP-A (Single-Package Heat Pump Air-Source)

## Commercial Air-Cooled Heat Pumps Over 65k Btu/h

AHRI List (web link): [Unitary Large Equipment](#)

**Building Type**  
All Commercial Building Types

Packaged Systems:	EER	COP
<b>Cooling Capacity (Btu/h) ≥ 65,000 &amp; ≤ 134,000</b>		
Tier 1	≥ 11.5	≥ 3.50
Tier 2	≥ 12.0	≥ 3.55
<b>Cooling Capacity (Btu/h) ≥ 135,000 &amp; ≤ 239,000</b>		
Tier 1	≥ 10.8	≥ 3.48
Tier 2	≥ 11.2	≥ 3.51
<b>Cooling Capacity (Btu/h) ≥ 240,000 &amp; ≤ 759,000</b>		
Tier 1	≥ 9.7	≥ 3.30
Tier 2	≥ 10.0	≥ 3.30

Additional Eligibility Requirements based on AHRI Certified Product List:

AHRI Type	HSP-A (Single-Package Heat Pump Air-Source)
-----------	---

## Commercial Multi-Capacity Unitary Air-Cooled Air Conditioners 65-240k Btu/h

AHRI List (web link): [Contact Program](#)

**Building Type**  
All Commercial Building Types

	IEER		EER
<b>Cooling Capacity (Btu/h) ≥ 65,000 &amp; &lt; 135,000</b>			
Tier 1	≥ 19.0	AND	≥ 12.0
<b>Cooling Capacity (Btu/h) ≥ 135,000 &amp; ≤ 239,000</b>			
Tier 1	≥ 17.5	AND	≥ 12.0

**Measure Restrictions**  
Not eligible for New Construction  
BOTH minimum IEER and EER need to be met to qualify

The AC equipment must include advanced compressor capacity control (either a variable speed compressor, tandem compressor on a single refrigeration circuit, or multiple-step compressors).

The AC equipment must include a multi-speed (three steps or greater) indoor fan.

The AC equipment must include a gas-furnace heating section (no requirements on thermal efficiency).

## Commercial Heat Pump Air Conditioner, Fuel Substitution Under 65k Btu/h

AHRI List (web link): [Heat Pumps and Heat Pump Coils](#)

**Building Type**  
All Commercial Building Types

Packaged Systems:			
	SEER	AND	HSPF
Cooling Capacity (Btu/h) < 65,000 - Single or High Stage (95F),btuh			
1 Stage	≥15.0	AND	≥8.2
2 Stage	≥15.0	AND	≥8.2
For 2 Stage: Indoor Cooling Minimum Air Volume Rate (BI SCFM) - Has value			
Tier 1	≥16	AND	≥8.5
Tier 2	≥17	AND	≥9.0

**Measure Restrictions**  
Customer must receive Electric service from an IOU  
Propane customers are not eligible  
BOTH minimum HSPF and SEER need to be met to qualify

### Additional Eligibility Requirements based on AHRI Certified Product List:

AHRI Type	HSP-A (Single-Package Heat Pump Air-Source) *only available under 65kbtu
-----------	--

Split Systems:			
	SEER	AND	HSPF
Cooling Capacity (Btu/h) < 65,000 - Single or High Stage (95F),btuh			
Tier 1	≥15	AND	≥8.7
Tier 2	≥16	AND	≥9
Tier 3	≥17	AND	≥9.4
Tier 4	≥18	AND	≥9.7

### Additional Eligibility Requirements based on AHRI Certified Product List:

AHRI Type	HRCU-A-C (Split System: Heat Pump with Remote Outdoor Unit with No Indoor Fan --Air Source)
	HRCU-A-CB (Split System: Heat Pump with Remote Outdoor Unit-Air-Source)
	HRCU-A-CB-O (Split System: Heat Pump with Remote Outdoor Unit-Air-Source, Free Delivery)

## Commercial Heat Pump Air Conditioner, Fuel Substitution Over 65k Btu/h

AHRI List (web link): [Unitary Large Equipment](#)

**Building Type**  
All Commercial Building Types

Packaged Systems:			
	COP	AND	IEER
Cooling Capacity (Btu/h) ≥ 65,000 & < 135,000			
Tier 2	≥3.4	AND	≥16.0
Cooling Capacity (Btu/h) ≥ 135,000 & < 240,000			
Tier 2	≥3.2	AND	≥15.5
Cooling Capacity (Btu/h) ≥ 240,000 & < 760,000			
Tier 2	≥3.2	AND	≥14.0

**Measure Restrictions**  
Customer must receive Electric service from an IOU  
Propane customers are not eligible  
BOTH minimum COP and IEER need to be met to qualify

### Additional Eligibility Requirements based on AHRI Certified Product List:

AHRI Type	HSP-A (Single-Package Heat Pump Air-Source)
-----------	---

## Commercial Hot Water Boiler - Space Heating Only

AHRI List (web link): [Commercial Boilers](#)

Thermal Efficiency	
Input Rating, MBH $\geq 300$ & $\leq 2,500$	
Tier 1A*	$\geq 85.0$ & $< 94.0$
Tier 2*	$\geq 94.0$
Tier 3**	$\geq 94.0$
Input Rating, MBH $> 2,500$ & $\leq 10,000$	
Tier 1B*	$\geq 85.3$
	Combustion Efficiency: $\geq 87.3$
Tier 2*	$\geq 93.0$
	Combustion Efficiency: $\geq 95.0$
Tier 3**	$\geq 93.0$
	Combustion Efficiency: $\geq 95.0$

\*For products that qualify for both Tier 2 and Tier 3, incentives will be based on the OA temperature

\*140°-165° OA Reset Temp

\*\*115°-140° OA Reset Temp

Building Type
Education - Community College
Education - Secondary School
Education - University
Health/Medical - Hospital
Lodging - Hotel
Health/Medical - Nursing Home
Office - Large, Small
Retail - Multistory Large

Measure Restrictions
Not eligible for New Construction
Customer must receive Gas service from an IOU
Propane customers are not eligible
Maximum incentive \$10,000 per unit

### Additional Eligibility Requirements based on AHRI Certified Product List:

Heating Medium	Water*
Fuel Type	Natural Gas**

\*Boilers listed as "Water" must be installed as steam boilers to be eligible.

\*\*Boilers listed as "Natural Gas, Propane" must be installed with natural gas to be eligible.

## Commercial Steam Boiler - Space Heating Only

AHRI List (web link): [Commercial Boilers](#)

Thermal Efficiency	
Input Rating, MBH $\geq 300$ & $\leq 2,500$	
Tier 1	$\geq 82.0$
Input Rating, MBH $> 2,500$ & $\leq 10,000$	
Tier 1	$\geq 83.0$
Tier 2	$\geq 84.0$

Building Type
Education - Community College
Education - Secondary School
Education - University
Health/Medical - Hospital
Lodging - Hotel
Health/Medical - Nursing Home
Office - Large, Small
Retail - Multistory Large

Measure Restrictions
Not eligible for New Construction
Customer must receive Gas service from an IOU
Propane customers are not eligible
Maximum incentive \$10,000 per unit

### Additional Eligibility Requirements based on AHRI Certified Product List:

Heating Medium	Steam*
Fuel Type	Natural Gas**

\*Boilers listed as "Steam" must be installed as steam boilers to be eligible.

\*\*Boilers listed as "Natural Gas, Propane" must be installed with natural gas to be eligible.

## Commercial Air-Cooled Constant Speed Screw Chiller

AHRI List (web link): [Contact Program](#)

**Building Type**  
All Commercial Building Types

	IPLV		EER
<b>Cooling Capacity (tons) &lt;150</b>			
Tier 1	≥15.1	AND	≥11.1
Tier 2	≥16.4	AND	≥12.1
<b>Cooling Capacity (tons) ≥150</b>			
Tier 1	≥15.4	AND	≥11.1
Tier 2	≥16.8	AND	≥12.1

**Measure Restrictions**  
Not eligible for New Construction  
BOTH minimum IPLV and EER need to be met to qualify

### Additional Eligibility Requirements based on AHRI Certified Product List:

AHRI Type: Screw

## Commercial Packaged Air Conditioner Heat Recovery

AHRI List (web link): [Contact Program](#)

**Building Type**  
Restaurant - Fast-Food

**Eligibility Requirements:**

Equipment Type	Packaged AC with air-to-water heat recovery used to heat incoming service hot water
----------------	---

## Commercial Software Controlled Switch Reluctance Motor

AHRI List (web link): [Contact Program](#)

Building Type
All Commercial Building Types

Eligibility Requirements:	
Equipment Type	Furnace Blower Motor Horsepower
Software-Controlled Switch Reluctance Motor	≥1.0 & ≤ 3.0

This measure must replace the existing 1 to 3 hp supply fan motor in a packaged HVAC system. The new motor and controls must be UL Listed. The installation of this measure shall meet all applicable regulations, including but not limited to the current California Building Energy Efficiency Standards (Title 24), federal code, and the National Electrical Code® (NEC). This measure is not eligible for supply fan motors rated ≥1 hp and ≥ 3 hp (nominal). This measure is not eligible for other fans, such as the return fan or outdoor air fan of a packaged HVAC unit.

## Classroom HVAC Occupancy Sensor

AHRI List (web link): [Contact Program](#)

Building Type
Education - Primary School
Education - Secondary School
Education - Relocatable Classroom

Eligibility Requirements:	
Equipment Type	Classroom HVAC occupancy sensor DX furnace, EPr and ESe
	Classroom HVAC occupancy sensor heat pump, ERC

Measure Restrictions
Not eligible for New Construction

The measure requires installation of an HVAC occupancy sensing thermostat in the classroom. This control equipment includes, but is not limited to: An occupancy sensing thermostat, An occupancy sensor (wired or wireless), Wiring (if wired), Signal receiver and power pack (if wireless). The measure is only applicable for classrooms in education primary schools (EPr), and education secondary schools (ESe). This measure is not applicable for education community colleges, and education universities, unless these buildings have relocatable classrooms with packaged HVAC units. This measure is applicable to all vintages.

# Residential Measures

## Residential High Efficiency Furnace with Variable Speed Motor

AHRI List (web link): [Residential Furnaces](#)

	AFUE (%)
Tier 1	≥ 92.0

Building Type
Single Family
Multi-Family
Mobile Home

### Additional Eligibility Requirements based on AHRI Certified Product List:

Input Rating	≤ 225 kBtuh
Electronically Commutated Motor	Yes
Furnace Type	Weatherized; Non-weatherized
Fuel Type	*Natural Gas

\*Furnaces listed as "Natural Gas, Propane" must be installed with natural gas to be eligible.

### Measure Restrictions

Not eligible for New Construction
Equipment must be for use with Natural Gas ONLY
One measure per residential household

## Residential Gravity Wall Furnace

AHRI List (web link): [Direct Heating Equipment](#)

	Heating Type	AFUE (%)
Input Rating (Btu/h) ≥ 19,000 & < 35,000	Gravity	≥ 70.0
Input Rating (Btu/h) ≥ 35,000 & < 50,000	Gravity	≥ 70.0

Residential Building Type
Single Family
Multi-Family
Mobile Homes

### Additional Eligibility Requirements based on AHRI Certified Product List:

Fuel Type	*Natural Gas
Equipment Type	Wall Furnace

\*Furnaces listed as "Natural Gas, Propane" must be installed with natural gas to be eligible.

### Measure Restrictions

Not eligible for New Construction
One measure per residential household
Customer must receive Gas service from an IOU
Propane customers are not eligible
Sales/purchase invoice required at time of submittal



# Residential Heat Pump HVAC, Fuel Substitution

AHRI List (web link):	Heat Pumps and Heat Pump Coils
-----------------------	--------------------------------

Split/Package Systems:	SEER		HSPF
Tier 1, SEER	≥16	AND	≥9

Residential Building Type
Single Family
Multi-Family
Mobile Home

Split/Package Systems: SEER2 Rated Equipment	SEER2		HSPF2
Tier 1, SEER2	≥15.2	AND	≥7.7

\*Incentive update effective 6/3/24

Measure Restrictions
Not eligible for New Construction
Customer must receive Electric service from an IOU
Propane customers are not eligible
BOTH minimum SEER and HSPF need to be met to qualify
If equipment is both SEER and SEER2 rated, eligibility will default to the SEER2 rating
Mini-Splits are not eligible
Must replace existing AC and Furnace
Natural Gas line to previously existing furnace must be capped

Additional Eligibility Requirements based on AHRI Certified Product List:	
AHRI Type	HSP-A (Single-Package Heat Pump Air-Source)
	HRCU-A-CB (Split System: Heat Pump with Remote Outdoor Unit-Air-Source)
	HRCU-A-C (Split System: Heat Pump with Remote Outdoor Unit with No Indoor Fan -Air Source)
	HRCU-A-CB-O (Split System: Heat Pump with Remote Outdoor Unit-Air-Source, Free Delivery)

Please note: Any incentive amounts or product types included in this and other supporting documents are intended as references only and are not meant to replace the PPC. The PPC will always have the most current incentive amount and qualifying products. Incentive levels can and will change throughout the life of the program based upon market trends, program performance, or utility needs and priorities. Please contact the program if you are uncertain of a product's eligibility or incentive level. You can contact the program by reaching out to your Account Manager, by emailing [info@comfortablyca.com](mailto:info@comfortablyca.com), or by calling 855-700-4651.